

# Air Con Automotive

Mobile A/C  
Catalogue 2015



Ireland's Vehicle  
Air Conditioning  
Specialists




**Contact us today!**

**Tel: 057 9125751**

**E: [sales@airconautomotive](mailto:sales@airconautomotive)**

# Table of Contents

<b>1.0: A/C Equipment.</b>  1.1: Recovery Stations..... 4 1.2: Tools and equipment. .... 6 1.3: Small tools..... 7	<b>1</b>
<b>2.0: Consumables.</b>  2.1: Refrigerants..... 9 2.2: UV Tracer dyes ..... 9 2.3: A/C Lubrication oils ..... 9 2.4: Miscellaneous ..... 10	<b>2</b>
<b>3.0 Consumable hard parts.</b>  3.1: Assortment Box's..... 13 3.2 O-Rings ..... 14 3.4 Port Caps ..... 15	<b>3</b>
<b>4.0: Hoses and Fittings</b>  4.1: Rubber hoses..... 17 4.2: Ferrules ..... 18 4.3 Fittings..... 19	<b>4</b>
<b>5.0: Compressor Parts</b>  5.1: Clutch assemblies..... 24 5.2 Clutch Drives/Hubs ..... 26 5.3 Bearings ..... 27 5.4 Magnetic coils ..... TBA	<b>5</b>



## A/C Equipment

Service stations

Equipment

Tools



# Introducing our 2015 range of AC recovery stations

Starting at just **€1440** ex vat



Our new range of AC recovery stations are manufactured by CTR.

CTR is one of Europe's leading manufacturers of vehicle air conditioning recovery/service stations and is owned by the Denso Corporation a Worldwide manufacturing leader in genuine automotive air conditioning parts found on most vehicles today.

## News:

Did you know that R134A is being phased out?

Although R134A will be available for many more years to come it is gradually being phased out in favor of HFO-1234YF and new EU legislation introduced under the Kyoto Protocol states that all new model vehicles introduced after 31/12/2012 will need to be fitted with an Air conditioning system filled with the new HFO-1234YF.

## AC Service stations

1



### Kristal

4018123	Technical Specifications	
Refrigerant type: HFO-1234yf	Abs Plastics	
Power supply: 220/240V 50HZ	Wheel locks	
CE/PED category II compliant	Maintenance counters	
Multilingual menu	Rear Handle	
Electronic vehicle database	2.5M hose standard (longer available)	
Thermal Printer	Easy access refrigerant filters	
Steel chassis / powder coat paint	Optional HFO-1234yf Identifier	



### Astra

4018070	Technical Specifications	
Refrigerant type: R134A	Heater belt, Wheel locks	
Power supply: 220/240V 50HZ	Automatic functions	
CE/PED compliant	Maintenance counters	
1 refrigerant scale	Rear Handle	
2 oil/uv scales	2.5M hose Standard (longer available)	
Electronic vehicle database	Thermal Printer	
Steel chassis / powder coat paint / abs plastics		



### Artika














4018090	Technical Specifications	
Refrigerant type: R134A	Abs Plastics	
Power supply: 220/240V 50HZ	Pneumatic tyres / Wheel & Cylinder locks	
CE/PED compliant	Maintenance counters	
Multilingual menu	2x Manual oil / dye insertion	
Electronic vehicle database	2.5M hose standard (longer available)	
Easy access refrigerant filters	Optional thermal printer	
Steel chassis / powder coat paint	Optional flushing	



### Kheos

4018850	Technical Specifications	
Refrigerant type: R134A	Abs Plastics	
Power supply: 220/240V 50HZ	Wheel locks	
CE/PED compliant	Maintenance counters	
Multilingual menu	Rear Handle	
Steel chassis / powder coat paint	2.5M hose standard (longer available)	
Cylinder lock	1x Manual oil / dye insertion	
Electronic vehicle database	Optional thermal printer	

<p><b>MC-00085</b></p>  <p><b>Electronic scales</b></p> <p>Max weighting capacity: 100 kg Accuracy: +/- 0,5% Resolution: 10 g</p>	<p><b>MC-00067</b></p>  <p><b>Hydraulic crimper</b></p> <p>For crimping barbed and beadloc fittings size 6,8,10,12 standard &amp; reduced fittings</p>	<p><b>MC-00077</b></p>  <p><b>Pneumatic AC flushing station</b></p> <p>For decontamination of internal hoses, condensers and evaporators</p>	<p><b>Nitro-Kit</b></p>  <p><b>Nitrogen leak detection</b></p> <p>Comes with gauges and regulator for OFN leak detection all in a hard carry case.</p>
<p><b>MC-00096</b></p>  <p><b>Diagnostic Sight glass</b></p> <p>For verifying condition of the AC system by identifying moisture, contamination etc.</p>	<p><b>MC-00090</b></p>  <p><b>100W 12V UV lamp</b></p> <p>Comes in hard PV carry case with UV glasses</p>	<p><b>CLT1</b></p>  <p><b>Compressor Tester</b></p> <p>Allows user to diagnose the health of a compressor and control valve without removing compressor or impact vehicles electronics.</p>	<p><b>4017822</b></p>  <p><b>Ultrasonic sound enhancer</b></p> <p>Allows user to pinpoint leaks by amplifying ultrasonic sound emitting from the leak.</p>

<p><b>MC-00092</b></p>  <p><b>UV Protective glasses</b></p> <p>Offers basic eye protection from dirt &amp; damaging UV rays from lamp while enhancing the dye colour</p>	<p><b>MC-10084</b></p>  <p><b>Oil/Dye Injector</b></p> <p>For manually injecting oil and dye into AC system pre vacuum</p>	<p><b>MC-00126</b></p>  <p><b>Adapter kit</b></p> <p>For connecting to AC system while flushing and leak checking using nitrogen</p>	<p><b>Cone-seal</b></p>  <p><b>Spare sealing cone</b></p> <p>Spare cone for adapter kit.</p>
<p><b>Coup-BMW</b></p>  <p><b>Extended quick coupler.</b></p> <p>Extra long coupler for use with BMW R134a systems</p>	<p><b>Couplings</b></p>  <p><b>Quick couplers</b></p> <p>Large selection of R134a quick couplers to suit any job.</p>	<p><b>MC-00091</b></p>  <p><b>Schrader valve tool</b></p> <p>For removal/insertion of Schrader valves.</p>	<p><b>MC-00088</b></p>  <p><b>Hose cutters</b></p> <p>For easily &amp; safely cutting AC rubber hose</p>
<p><b>MC-00031</b></p>  <p><b>Hub clutch remover/installer</b> Denso 5SE12C</p> <p>Pin-Pin 47.5mm</p>	<p><b>MC-00030</b></p>  <p><b>Hub clutch remover/installer</b> Denso 6SEU</p> <p>Pin-Pin 21.5mm</p>	<p><b>MC-00032</b></p>  <p><b>Hub clutch remover/installer</b> Denso 6SEU</p> <p>Pin-Pin 23.5mm</p>	<p><b>MC-00033</b></p>  <p><b>Over-riding clutch remover/installer</b> VAG 1/4" drive</p>
 <p><b>More tools and equipment in-stock please make enquires.</b></p>			



02

## Consumables

Refrigerants











UV Tracer Dyes










A/C Lubrication oils

Miscellaneous






<p><b>HFO-1234YF</b></p>  <p><b>HFO-1234yf refrigerant 5Kg</b></p> <p><b>Note!</b> Fully refundable deposit required per cylinder</p>	<p><b>R134A</b></p>  <p><b>R134a refrigerant 12Kg</b></p> <p><b>Note!</b> Fully refundable deposit required per cylinder</p>		
<p><b>MC-00081YF</b></p>  <p><b>UV fluorescent dye 250ml</b></p> <p>Over 30 vehicles with just one of these Concentrated bottles. 7.5ml per vehicle <b>Suitable for HFO-1234yf systems only</b></p>	<p><b>MC-00081</b></p>  <p><b>UV fluorescent dye 250ml</b></p> <p>Over 30 vehicles with just one of these Concentrated bottles. 7.5ml per vehicle <b>Suitable for R134a systems only</b></p>		
<p><b>MC-00097YF</b></p>  <p><b>250ml oil pag46</b></p> <p><b>Suitable for HFO-1234yf systems only</b></p>	<p><b>MC-00111</b></p>  <p><b>250ml oil pag46 with UV fluorescent dye</b></p> <p><b>Suitable for R134a systems only</b></p>	<p><b>MC-00097</b></p>  <p><b>250ml oil pag46</b></p> <p><b>Suitable for R134a systems only</b></p>	<p><b>MC-UV061</b></p>  <p><b>250ml oil pag100 with UV fluorescent dye</b></p> <p><b>Suitable for R134a systems only</b></p>
<p><b>MC-10061</b></p>  <p><b>250ml oil pag100</b></p> <p><b>Suitable for R134a systems only</b></p>	 <p><b>More AC lubricating oil available please make enquiries.</b></p>		

<p><b>MC-10053</b></p>  <p><b>Leak Stop</b></p> <p>AC leak stop in aerosol can with UV dye.</p>	<p><b>MC-E0053</b></p>  <p><b>Leak Stop</b></p> <p>40ml AC leak stop in syringe with UV dye.</p>	<p><b>11.800/60P</b></p>  <p><b>Quick coupler</b></p> <p>To fit MC-E0053</p>	<p>More leak stop products available please make enquiries within</p>
<p><b>MC-00087</b></p>  <p><b>400ml Leak detection spray</b></p> <p>Find leaks fast when using this leak detection spray. Just spray around joints and fittings and it will expose even the smallest leak</p>	<p><b>MC-00086</b></p>  <p><b>100ml Leak detection spray</b></p> <p>Find leaks fast when using this leak detection spray. Just spray around joints and fittings and it will expose even the smallest leak</p>	<p>More leak detection products available please make enquiries within</p>	
<p><b>MC-00089</b></p>  <p><b>Retro pro</b></p> <p>Working on old R12 systems! this product is essential in converting from R12 to R134a. Comes with adapter valves and hose</p>	 <p>Adapters for converting R12 to R134a comes with MC-00089</p>	<p>More conversion products available please make enquiries within</p>	
<p><b>MC-00098</b></p>  <p><b>250 ml Vacuum pump oil</b></p> <p>High vacuum pump oil. Suitable for all service/recovery stations</p>	 <p>More vacuum lubricating oils available please make enquiries.</p>		

<p>MC-00048</p>  <p>100ml O-Ring lube</p> <p>Avoid tearing seals and O-rings when assembling</p>	<p>MC-00083</p>  <p>10m Anti-Condensation tape</p> <p>For insulating against heat and cold to avoid condensation building up and creating unwanted leaks. For usage around evaporators and expansion valves</p>	<p>MC-00109</p>  <p>5L Flushing solvent</p> <p>Flammable flushing solvent for cleaning AC system after compressor failure</p>	<p>MC-00125</p>  <p>1L Detergent</p> <p><b>Strong foam</b> for cleaning the outside of condensing unit and evaporators can use on copper or aluminium surfaces.</p>
<p>MC-00082</p>  <p>500ml Brake Cleaner</p> <p>Not just for brakes! This cleaning fluid will dissolve oil and wash away dirt</p>	<p>MC-00113</p>  <p>Anti-Seize 400ml</p> <p>Penetration spray Ideal for disassembly of tight or rusted parts</p>	 <p>100's more products available please enquire within.</p>	







## Consumable Spares













Assortment Box's











O-Rings


Port Caps



<p>MC-00120</p>  <p><b>O-Ring Kit</b> 155 piece set of the 14 most common o-rings</p>		<p>MC-00119</p>  <p><b>O-Ring Kit</b> Set of 12 different special o-rings double lip and back-ups</p>	
<p>MC-00121</p>  <p><b>O-Ring &amp; port cap Kit</b> 240 piece set of O-Rings and port caps to suit all Case/Ford/New Holland machines</p>		 <p><b>Port dust cap Kit</b> 60 Piece set with 12 different type port protection caps</p>	
 <p><b>Schrader Valve kit</b> 51 Piece kit includes 7 most common Schrader valves for r134a systems and a driving tool</p>	 <p>More kit boxes available. All O-rings, valves &amp; caps can be sold separately. Please make enquiries.</p>		

<p>MC-00042</p>  <p>Cross Section</p> <p>#6 O-Ring HNBR</p> <p>ID = 7.65mm CS = 1.78mm Colour = Green</p>	<p>MC-00043</p>  <p>Cross Section</p> <p>#8 O-Ring HNBR</p> <p>ID = 10.82mm CS = 1.78mm Colour = Green</p>	<p>MC-00044</p>  <p>CROSS SECTION</p> <p>#10 O-Ring HNBR</p> <p>ID = 14mm CS = 1.78mm Colour = Green</p>	<p>MC-00102</p>  <p>CROSS SECTION</p> <p>#12 O-Ring HNBR</p> <p>ID = 17.17mm CS = 1.78mm Colour = Green</p>
<p>MC-00046</p>  <p>Cross Section</p> <p>O-Ring HNBR</p> <p>ID = 10.57mm CS = 1.78mm Colour = Green</p>	<p>MC-00115</p>  <p>Cross Section</p> <p>O-Ring HNBR</p> <p>ID = 23.52mm CS = 1.78mm Colour = Green</p>	<p>MC-00117</p>  <p>Cross Section</p> <p>O-Ring Neoprene</p> <p>ID = 23mm CS = 2mm Colour = Black</p>	<p>MC-00018</p>  <p>Cross Section</p> <p>O-Ring HNBR</p> <p>ID = 28.3mm CS = 1.78mm Colour = Green</p>
<p>MC-00118</p>  <p>Cross Section</p> <p>O-Ring Neoprene</p> <p>ID = 31.47mm CS = 1.78mm Colour = Black</p>	 <p>1000's more O-Rings available</p>		
<p>MC-00021</p>  <p>CROSS SECTION</p> <p># 8 Aeroquip Quick Coupler</p> <p>Face Seal Square Cut Gasket Fits CNH</p>	<p>MC-00020</p>  <p>Cross Section</p> <p># 12 Aeroquip Quick Coupler</p> <p>Face Seal Square Cut Gasket Fits CNH</p>		

<p>CP-605</p>  <p>Valve Cap</p> <p>3/16" Black Plastic R12 Ports and R134a switch ports</p>	<p>CP-616</p>  <p>Valve Cap</p> <p>1/4" Black plastic R12 Ports and R134a switch ports</p>	<p>CP-653</p>  <p>Valve Cap</p> <p>13mm low side Blue R134a LP port M8x1.0mm</p>	<p>CP-654</p>  <p>Valve Cap</p> <p>16mm High side Red R134a HP port M8x1.0mm</p>
<p>CP-655</p>  <p>Stem Cap</p>	<p>CP-656</p>  <p>Valve Cap</p> <p>13mm High side Blue R134a HP port M8x1.0mm</p>	<p>CP-657</p>  <p>Valve Cap</p> <p>16mm High side Red R134a HP port M8x1.0mm</p>	<p>CP-680</p>  <p>Switch Cap</p> <p>M12x1.5</p>
<p>CP-800</p>  <p>Valve cap</p> <p>JRA low side R134a LP port</p>	<p>CP-801</p>  <p>Valve cap</p> <p>JRA High side R134a HP port</p>		



## A/C Hoses & Fittings









Hoses









Ferrules


Fittings





<p>#6 Reduced OD</p>  <p>Min sale 1M Goodyear hose or similar</p>	<p>#8 Reduced OD</p>  <p>Min sale 1M Goodyear hose or similar</p>
<p>#10 Reduced OD</p>  <p>Min sale 1M Goodyear hose or similar</p>	<p>#12 Reduced OD</p>  <p>Min sale 1M Goodyear hose or similar</p>
<p>#6 Standard OD</p>  <p>Min sale 1M Goodyear hose or similar</p>	<p>#8 Standard OD</p>  <p>Min sale 1M Goodyear hose or similar</p>
<p>#10 Standard OD</p>  <p>Min sale 1M Goodyear hose or similar</p>	<p>#12 Standard OD</p>  <p>Min sale 1M Goodyear hose or similar</p>


 <p><b>FT-00003</b> Ferrule #6 Reduced outside diameter</p>	 <p><b>FT-00004</b> Ferrule #8 Reduced outside diameter</p>	 <p><b>FT-00001</b> Ferrule #10 Reduced outside diameter</p>	 <p><b>FT-00002</b> Ferrule #12 Reduced outside diameter</p>
 <p><b>FT-00003</b> Ferrule #6 Standard outside diameter</p>	 <p><b>FT-00008</b> Ferrule #8 Standard outside diameter</p>	 <p><b>FT-00005</b> Ferrule #10 Standard outside diameter</p>	 <p><b>FT-00006</b> Ferrule #12 Standard outside diameter</p>



Female O-Ring  
Straight

ROD=reduced OD  
STD= standard OD

	ROD	STD	BARB
No6	FT-00031	FT-00060	
No8	FT-00034	FT-00061	
No10	FT-00036	FT-00062	
No12	FT-00038	FT-00064	




Female O-ring  
Straight

BARB



Female O-Ring  
90°

	ROD	STD	BARB
No6	FT-00040	FT-00046	
No8	FT-00042	FT-00047	
No10	FT-00043	FT-00048	
No12	FT-00044	FT-00065	




Female O-ring  
90°

BARB



Female O-Ring  
45°

	ROD	STD	BARB
No6			
No8			
No10			
No12			



Female O-ring  
45°

BARB



Female O-Ring  
Straight with R134a port

	ROD	STD	BARB
No6			
No8			
No10			
No12	FT-00053		



Female O-ring  
Straight with R134a port


BARB



Female O-Ring  
90° with R134a port

	ROD	STD	BARB
No6	FT-20065		
No8	FT-20066		
No10	FT-20067		
No12		FT-00065	


Female O-ring  
90° with R134a port  
BARB



Female O-Ring  
45° with R134a port

	ROD	STD	BARB
No6	FT-20065		
No8	FT-20066		
No10	FT-20067		
No12		FT-00065	

Female O-ring  
45° with R134a port  
BARB



Male O-Ring  
Straight

	ROD	STD	BARB
No6	FT-00055		
No8			FT-
No10			
No12			



Male O-Ring  
Straight  
BARB



Male O-Ring  
90°

	ROD	STD	BARB
No6	FT-00056		
No8	FT-00063		
No10			
No12			

Male O-ring  
90°  
BARB



Male O-Ring  
45°

	ROD	STD	BARB
No6			
No8			
No10			
No12			

Male O-Ring  
45°  
BARB



Splicer

	ROD	STD	BARB
No6	FT-30057	FT-20051	FT-00066
No8	FT-20012	FT-20052	FT-00067
No10	FT-20058		FT-00068
No12	FT-20059	FT-	FT-00069



Splicer  
BARB



Splicer with  
R134a port

	ROD	STD	BARB
No6			FT-50066
No8			FT-50067
No10			FT-
No12			FT-



Splicer with  
R134a port  
BARB



Splicer with  
Switch / R12 port

	ROD	STD	BARB
No6			FT-40066
No8			FT-40067
No10			FT-50068
No12			FT-40069



Splicer with  
Switch / R12 port  
BARB



Splicer  
With step

	BARB
No 6 - 8	FT-00020
No 8 - 10	FT-00021
No 10 - 12	FT-00022

	ROD	STD	BARB
No6			
No8			
No10			
No12			

	ROD	STD	BARB
No6			
No8			
No10			
No12			

	ROD	STD	BARB
No6			
No8			
No10			
No12			



## Compressor Parts

Clutch assembly





Clutch drives

Bearings















<p><b>CA-00002</b></p>  <p><b>Comp:</b> 5SE12C <b>Year:</b> 2003-05 <b>Hub:</b> CD-00002 <b>Bearing:</b> CB-00015 <b>Clutch:</b> Direct drive <b>Make:</b> Denso / Toyota <b>Grooves:</b> PV5      Ø 105mm <b>OEM Ref:</b> Avensis D4D T25 / 88310-05101</p>	<p><b>CA-00016</b></p>  <p><b>Comp:</b> 5SE12C <b>Year:</b> 2006-09 <b>Hub:</b> CD-00002 <b>Bearing:</b> CB-00015 <b>Clutch:</b> Direct drive <b>Make:</b> Denso / Toyota <b>Grooves:</b> PV7      Ø 130mm <b>OEM Ref:</b> Avensis D4D T25</p>	<p><b>CA-00004</b></p>  <p><b>Comp:</b> 6SEU14C / 7SEU <b>Year:</b> 2004-08 <b>Hub:</b> CD-00004 <b>Bearing:</b> CB-00010 <b>Clutch:</b> Direct drive <b>Make:</b> Denso / VAG <b>Grooves:</b> PV6      Ø 105mm <b>OEM Ref:</b> Various Audi 2.0/1.9tdi A4 (B7) / A6 (C6) A8 4F0260805E / 4F0260805G / 4F0260805GI / 4F0260805GM 4F0260805S / 8E0260805BF 447190-4931</p>
<p><b>CA-00005</b></p>  <p><b>Comp:</b> 7SEU16C / 6SEU12C <b>Year:</b> 2000-06 <b>Hub:</b> CD-10008/10010 <b>Bearing:</b> CB-000010 <b>Clutch:</b> Direct drive <b>Make:</b> Denso / VAG <b>Grooves:</b> PV4      Ø 114mm <b>OEM Ref:</b> Various 1.9/3.0 tdi Audi A4 (B6) / A6 (C5) / A8 4B0260805G / 4B0260805M / 8E0260805A / 8E0260805B 8E0260805M</p>	<p><b>CA-00018</b></p>  <p><b>Comp:</b> PXE16 <b>Year:</b> 2005-08 <b>Hub:</b> <b>Bearing:</b> 35/52/20 <b>Clutch:</b> Direct drive <b>Make:</b> Sanden / VAG <b>Grooves:</b> Pv6      Ø 109mm <b>OEM Ref:</b> Various VW Passat 1K0820803G / 1K0820803GS / 1K0820859F / 1K0820859K 1K0820859Q / 8675</p>	<p><b>CA-00017</b></p>  <p><b>Comp:</b> PXE16/13 <b>Year:</b> <b>Hub:</b> PXE <b>Bearing:</b> 35/52/20 <b>Clutch:</b> Direct drive <b>Make:</b> Sanden / VAG <b>Grooves:</b> PV6      Ø 110mm <b>OEM Ref:</b> Various VW Passat</p>
<p><b>CA-00019</b></p>  <p><b>Comp:</b> 6SEU14C <b>Year:</b> <b>Hub:</b> CD-00004 <b>Bearing:</b> <b>Clutch:</b> Direct drive <b>Make:</b> Denso / Mercedes <b>Grooves:</b> PV6      Ø 110mm <b>OEM Ref:</b> Various Mercedes 6Q820</p>	<p><b>CA -</b></p>  <p><b>Comp:</b> DC717EC <b>Year:</b> <b>Hub:</b> CD-10012 <b>Bearing:</b> <b>Clutch:</b> Direct drive <b>Make:</b> Zexel / VAG / Valeo <b>Grooves:</b> PV6      Ø 110mm <b>OEM Ref:</b> Various VW / Seat / Skoda / Audi 506041-0001 / 1K0820803 / 1K0820803L / 1K0898814</p>	<p><b>CA -</b></p>  <p><b>Comp:</b> 6CVC <b>Year:</b> <b>Hub:</b> CD-10014 <b>Bearing:</b> <b>Clutch:</b> Direct drive <b>Make:</b> Delphi / VAG / Opel <b>Grooves:</b> PV6      Ø 110mm <b>OEM Ref:</b> Various VW / Seat / Audi / Skoda / Opel / BMW 5N0820803A / 5N0 820 803A / 1141228 / 01140562 01141228 / 07104123358.D / 5N0820803E / 5K0820803A 155997</p>



<p><b>CA-00007</b></p>  <p><b>Comp:</b> SD7H15 <b>Volts:</b> 12V or 24V <b>Hub:</b> Keyed <b>Bearing:</b> TBA</p> <p><b>Clutch:</b> Magnetic    <b>Make:</b> Sanden / CNH</p> <p><b>Grooves:</b> Ax2    <b>Ø</b> 152mm</p> <p><b>OEM Ref:</b> Various apps incl Case new Hollands</p> <p>4478 / 86993462 / 1999755C3 / 4611 / 86983967 / ABPN83304264</p>	<p><b>CA-00008</b></p>  <p><b>Comp:</b> SD7H15 <b>Volts:</b> 12V or 24V <b>Hub:</b> Keyed <b>Bearing:</b> TBA</p> <p><b>Clutch:</b> Magnetic    <b>Make:</b> Sanden / MF</p> <p><b>Grooves:</b> Ax2    <b>Ø</b> 140mm</p> <p><b>OEM Ref:</b> Various apps incl Massey Ferguson's</p> <p>7952 / 8088 / 3782613M2</p>	<p><b>CA-00009</b></p>  <p><b>Comp:</b> 10PA15C / 17C <b>Volts:</b> 12V or 24V <b>Hub:</b> Splined <b>Bearing:</b> TBA</p> <p><b>Clutch:</b> Magnetic    <b>Make:</b> Denso / JD</p> <p><b>Grooves:</b> Ax2    <b>Ø</b> 136mm</p> <p><b>OEM Ref:</b> Various apps incl John Deere</p> <p>10PA15C / 10PA17C / AZ44541</p>
<p><b>CA-00011</b></p>  <p><b>Comp:</b> SD7H15 <b>Volts:</b> 12V or 24V <b>Hub:</b> Keyed or Splined <b>Bearing:</b> TBA</p> <p><b>Clutch:</b> Magnetic    <b>Make:</b> Sanden / CNH</p> <p><b>Grooves:</b> PV8    <b>Ø</b> 119mm</p> <p><b>OEM Ref:</b> Various apps incl CNH</p> <p>8100 / 4305 / 82016158 / 82008689 / F6HS19D629BA</p>	<p><b>CA-00012</b></p>  <p><b>Comp:</b> SD7H15 <b>Volts:</b> 12V or 24V <b>Hub:</b> Keyed <b>Bearing:</b> TBA</p> <p><b>Clutch:</b> Magnetic    <b>Make:</b> Sanden</p> <p><b>Grooves:</b> Ax2    <b>Ø</b> 125mm</p> <p><b>OEM Ref:</b> Various apps</p> <p>4419 / 180009314 / 512270</p>	<p><b>CA-00013</b></p>  <p><b>Comp:</b> SD7H15 <b>Volts:</b> 12V or 24V <b>Hub:</b> Keyed <b>Bearing:</b> TBA</p> <p><b>Clutch:</b> Magnetic    <b>Make:</b> Sanden / CNH</p> <p><b>Grooves:</b> Ax2    <b>Ø</b> 132mm</p> <p><b>OEM Ref:</b> Various apps incl CNH / JCB / MF</p> <p>4643 / 4664 / 4708 / 7849 / 8024 / 4646 / 8220 / 8017 / 8053 / 7982 / 7851 8220 / 72201567 / 5165549 / 3269930 / 447/42400 / 3550921M91 3712528M2 / 512140 / 80501 / 2329273 / 32838600 / 836866616</p>
<p><b>CA-00014</b></p>  <p><b>Comp:</b> 10PA15C / 17C <b>Volts:</b> 12V or 24V <b>Hub:</b> Splined <b>Bearing:</b> TBA</p> <p><b>Clutch:</b> Magnetic    <b>Make:</b> Denso / JD</p> <p><b>Grooves:</b> PV8    <b>Ø</b> 125mm</p> <p><b>OEM Ref:</b> Various apps incl John Deere / Merc's / Forwarder's</p> <p>AL176851 / AL78779 / AL78494 / 000 234 01 11 / 7700038545 4471002320 / 4471002321 / 4471002324 / RE64024</p>	<p><b>CA-00020</b></p>  <p><b>Comp:</b> SD7H15 <b>Volts:</b> 12V or 24V <b>Hub:</b> Keyed <b>Bearing:</b> TBA</p> <p><b>Clutch:</b> Magnetic    <b>Make:</b> Sanden / CNH</p> <p><b>Grooves:</b> PV4    <b>Ø</b> 116mm</p> <p><b>OEM Ref:</b> Various apps incl CNH</p> <p>8148 / 87802912 / 87709785</p>	<p><b>CA-0021</b></p>  <p><b>Comp:</b> SD7H15 <b>Volts:</b> 12V or 24V <b>Hub:</b> Keyed <b>Bearing:</b> TBA</p> <p><b>Clutch:</b> Magnetic    <b>Make:</b> Sanden / CNH</p> <p><b>Grooves:</b> PV6    <b>Ø</b> 119mm</p> <p><b>OEM Ref:</b> Various apps incl CNH</p> <p>8026 / 8099 / 82008688 / 82016157 / 820161571</p>
<p><b>CA-00022</b></p>  <p><b>Comp:</b> 10PA15C / 17C <b>Year:</b> 12V or 24V <b>Hub:</b> Splined <b>Bearing:</b> TBA</p> <p><b>Clutch:</b> Magnetic    <b>Make:</b> Denso / JD</p> <p><b>Grooves:</b> Ax1    <b>Ø</b> 146mm</p> <p><b>OEM Ref:</b> RE55422 / SE501463 / TY6765 / 4471002181</p> <p>4471003830 / 4471003831 / 4471003832 / 4471003833 4471003834 / 4471003835</p>		

<p>CD-00002</p> 	<p>CD-00004</p> 	<p>CD-10008</p> 	<p>Cd-10014</p> 
<p>CD-10012</p> 	<p>PXE</p> 	<p>Cd-10010</p>  <p>Center to center 82 mm</p>	
<p>TBA</p>  <p>Denso Splined shaft 10PA15/17C</p>	<p>TBA</p>  <p>SanDen keyed shaft SD7H15</p>	<p>CD-10013</p>  <p>SanDen splined shaft SD7H15</p>	

<p><b>CB-00001</b></p>  <p>Dimensions mm: 40x62x20.6/24</p> <p>Internal Diameter 40 mm</p> <p>External Diameter 62 mm</p> <p>Depth 1 20.6 mm</p> <p>Depth 2 24 mm</p>	<p><b>CB-00002</b></p>  <p>Dimensions mm: 30x47x20</p> <p>Internal Diameter 30 mm</p> <p>External Diameter 47 mm</p> <p>Depth 1 20 mm</p> <p>Depth 2 mm</p>	<p><b>CB-00004</b></p>  <p>Dimensions mm: 35x55x20</p> <p>Internal Diameter 35 mm</p> <p>External Diameter 55 mm</p> <p>Depth 1 20 mm</p> <p>Depth 2 mm</p>	<p><b>CB-00005</b></p>  <p>Dimensions mm: 30x55x23</p> <p>Internal Diameter 30 mm</p> <p>External Diameter 55 mm</p> <p>Depth 1 23 mm</p> <p>Depth 2 mm</p>
<p><b>CB-00006</b></p>  <p>Dimensions mm: 40x62x24</p> <p>Internal Diameter 40 mm</p> <p>External Diameter 62 mm</p> <p>Depth 1 24 mm</p> <p>Depth 2 mm</p>	<p><b>CB-00007</b></p>  <p>Dimensions mm: 40x57x20/24</p> <p>Internal Diameter 40 mm</p> <p>External Diameter 57 mm</p> <p>Depth 1 20 mm</p> <p>Depth 2 24 mm</p>	<p><b>CB-00008</b></p>  <p>Dimensions mm: 30x52x22</p> <p>Internal Diameter 30 mm</p> <p>External Diameter 52 mm</p> <p>Depth 1 22 mm</p> <p>Depth 2 mm</p>	<p><b>CB-00010</b></p>  <p>Dimensions mm: 35x52x22</p> <p>Internal Diameter 35 mm</p> <p>External Diameter 52 mm</p> <p>Depth 1 22 mm</p> <p>Depth 2 mm</p>
<p><b>CB-00011</b></p>  <p>Dimensions mm: 40x57x24</p> <p>Internal Diameter 40 mm</p> <p>External Diameter 57 mm</p> <p>Depth 1 24 mm</p> <p>Depth 2 mm</p>	<p><b>CB-00015</b></p>  <p>Dimensions mm: 35x52x12</p> <p>Internal Diameter 35 mm</p> <p>External Diameter 52 mm</p> <p>Depth 1 12 mm</p> <p>Depth 2 mm</p>	<p><b>CB-00016</b></p>  <p>Dimensions mm: 30x52x20</p> <p>Internal Diameter 30 mm</p> <p>External Diameter 52 mm</p> <p>Depth 1 20 mm</p> <p>Depth 2 mm</p>	<p><b>CB-00017</b></p>  <p>Dimensions mm: 35x50x20</p> <p>Internal Diameter 35 mm</p> <p>External Diameter 50 mm</p> <p>Depth 1 20 mm</p> <p>Depth 2 mm</p>